

# 1-91-P Slim pulling jaws (pair, clamping depth 100 mm)



## DESCRIPTION

The pair of two narrow pulling jaws is suitable for 2-jaw universal pullers. The narrow pulling jaws ensure that even tight and hard-to-reach spaces can be reached.

## RANGE OF APPLICATION

As accessories for tight and hard-to-reach spaces.


## BENEFIT

- Thanks to the freely moving pulling jaws sliding on the cross beam, even eccentric components can be pulled off.



## MASTER DATA

|                               |                                      |
|-------------------------------|--------------------------------------|
| GTIN [EAN]                    | 4021176434716                        |
| Country of origin             | DE                                   |
| Case material                 | Tool steel                           |
| Series                        | 1-P                                  |
| Net weight [kg]               | 0,515 kg                             |
| Package contents              | 1 few                                |
| Packaging Act                 | PAP 21                               |
| Global sales capability given | Yes (REACH, RoHS, POP, PROP65, TSCA) |

## DETAIL IMAGE




# Slim pulling jaws (pair, clamping depth 100 mm)




| Abbreviation | Attribut                                                          | Wert   |
|--------------|-------------------------------------------------------------------|--------|
| A            | Clamping depth outside pull-off [mm]                              | 100 mm |
| K            | Hook root thickness at the tip (claw thickness K) [mm]            | 3 mm   |
| J            | Hook base width (claw width J) [mm]                               | 30 mm  |
| O            | Hook base depth usable (claw depth usable O) [mm]                 | 7 mm   |
| H            | Total hook root depth (total claw depth H) [mm]                   | 14 mm  |
| L            | Total claw thickness (L+1mm) (claw distance to base surface) [mm] | 3 mm   |
| Z            | Total length [mm]                                                 | 127 mm |

| Abbreviation | Attribut                                                          | Wert   |
|--------------|-------------------------------------------------------------------|--------|
| A            | Clamping depth outside pull-off [mm]                              | 100 mm |
| K            | Hook root thickness at the tip (claw thickness K) [mm]            | 3 mm   |
| J            | Hook base width (claw width J) [mm]                               | 30 mm  |
| O            | Hook base depth usable (claw depth usable O) [mm]                 | 7 mm   |
| H            | Total hook root depth (total claw depth H) [mm]                   | 14 mm  |
| L            | Total claw thickness (L+1mm) (claw distance to base surface) [mm] | 3 mm   |
| Z            | Total length [mm]                                                 | 127 mm |



| Abbreviation | Attribut                                                          | Wert   |
|--------------|-------------------------------------------------------------------|--------|
| A            | Clamping depth outside pull-off [mm]                              | 100 mm |
| K            | Hook root thickness at the tip (claw thickness K) [mm]            | 3 mm   |
| J            | Hook base width (claw width J) [mm]                               | 30 mm  |
| O            | Hook base depth usable (claw depth usable O) [mm]                 | 7 mm   |
| H            | Total hook root depth (total claw depth H) [mm]                   | 14 mm  |
| L            | Total claw thickness (L+1mm) (claw distance to base surface) [mm] | 3 mm   |
| Z            | Total length [mm]                                                 | 127 mm |



| Abbreviation | Attribut                                               | Wert   |
|--------------|--------------------------------------------------------|--------|
| A            | Clamping depth outside pull-off [mm]                   | 100 mm |
| K            | Hook root thickness at the tip (claw thickness K) [mm] | 3 mm   |

|   |                                                                   |        |
|---|-------------------------------------------------------------------|--------|
| J | Hook base width (claw width J) [mm]                               | 30 mm  |
| O | Hook base depth usable (claw depth usable O) [mm]                 | 7 mm   |
| H | Total hook root depth (total claw depth H) [mm]                   | 14 mm  |
| L | Total claw thickness (L+1mm) (claw distance to base surface) [mm] | 3 mm   |
| Z | Total length [mm]                                                 | 127 mm |