1-193-P Narrow, quick adjustment standard pulling jaws (Pair, clamping depth 200 mm)





DESCRIPTION

The pair of two narrow, quick adjustment pulling jaws is suitable for 2-jaw universal pullers. The narrow pulling jaws ensure that even tight and hard-to-reach spaces can be accessed.

RANGE OF APPLICATION

As accessories for tight and poorly accessible gaps.

BENEFIT

- Thanks to the freely moving pulling jaws sliding on the cross beam, even eccentric components can be pulled off.
- Thanks to the knurling, tool-free and quick loosening or moving of the pulling jaws is possible.

MASTER DATA

GTIN [EAN] 4021176324208 Country of origin DE


Case material Tool steel
Series 3-P
Net weight [kg] 1,095 kg
Package contents 1 few
Packaging Act PAP 21

Global sales capability given


Yes (REACH, RoHS, POP, PROP65,

TSCA)


DETAIL IMAGE



Narrow, quick adjustment standard pulling jaws (Pair, clamping depth 200 mm)




Abbreviation Attribut		Wert
A	Clamping depth outside pull-off [mm]	200 mm
K	Hook root thickness at the tip (claw thickness K) [mm]	3 mm
J	Hook base width (claw width J) [mm]	30 mm
0	Hook base depth usable (claw depth usable O) [mm]	7 mm
Н	Total hook root depth (total claw depth H) [mm]	14 mm
L	Total claw thickness (L+1mm) (claw distance to base surface) [mm]	3 mm
Z	Total length [mm]	227 mm



AbbreviationAttribut		Wert
A	Clamping depth outside pull-off [mm]	200 mm
K	Hook root thickness at the tip (claw thickness K) [mm]	3 mm
J	Hook base width (claw width J) [mm]	30 mm
0	Hook base depth usable (claw depth usable O) [mm]	7 mm
Н	Total hook root depth (total claw depth H) [mm]	14 mm
L	Total claw thickness (L+1mm) (claw distance to base surface) [mm]	3 mm
Z	Total length [mm]	227 mm



AbbreviationAttribut		Wert
A	Clamping depth outside pull-off [mm]	200 mm
K	Hook root thickness at the tip (claw thickness K) [mm]	3 mm
J	Hook base width (claw width J) [mm]	30 mm
0	Hook base depth usable (claw depth usable O) [mm]	7 mm
Н	Total hook root depth (total claw depth H) [mm]	14 mm
L	Total claw thickness (L+1mm) (claw distance to base surface) [mm]	3 mm
Z	Total length [mm]	227 mm



Abbreviation Attribut		Wert
А	Clamping depth outside pull-off [mm]	200 mm
K	Hook root thickness at the tip (claw thickness K) [mm]	3 mm

	Hook base width (claw width J) [mm]	30 mm
0	Hook base depth usable (claw depth usable O) [mm]	7 mm
Н	Total hook root depth (total claw depth H) [mm]	14 mm
L	Total claw thickness (L+1mm) (claw distance to base surface) [mm]	3 mm
Z	Total length [mm]	227 mm