1-253-P Narrow, quick adjustment standard pulling jaws (pair, clamping depth 250 mm)





DESCRIPTION

The pair of two narrow, quick adjustment pulling jaws is suitable for 2-jaw universal pullers. The narrow pulling jaws ensure that even tight and hard-to-reach spaces can be accessed.

RANGE OF APPLICATION

As accessories for tight and poorly accessible gaps.

BENEFIT

- Thanks to the freely moving pulling jaws sliding on the cross beam, even eccentric components can be pulled off.
- Thanks to the knurling, tool-free and quick loosening or moving of the pulling jaws is possible.

MASTER DATA

GTIN [EAN] 4021176973710

Country of origin DE

Case material Tool steel

Series 3-P

Net weight [kg] 1,34 kg

Package contents 1 few


Package contents 1 few Packaging Act PAP 21

Global sales capability given


Yes (REACH, RoHS, POP, PROP65,

TSCA)


DETAIL IMAGE



Narrow, quick adjustment standard pulling jaws (pair, clamping depth 250 mm)




AbbreviationAttribut		Wert
A	Clamping depth outside pull-off [mm]	250 mm
K	Hook root thickness at the tip (claw thickness K) [mm]	3 mm
J	Hook base width (claw width J) [mm]	30 mm
0	Hook base depth usable (claw depth usable O) [mm]	7 mm
Н	Total hook root depth (total claw depth H) [mm]	14 mm
	Total claw thickness (L+1mm) (claw distance to base	3 mm
_	surface) [mm]	
Z	Total length [mm]	277 mm



Abbreviation Attribut		Wert
A	Clamping depth outside pull-off [mm]	250 mm
K	Hook root thickness at the tip (claw thickness K) [mm]	3 mm
J	Hook base width (claw width J) [mm]	30 mm
0	Hook base depth usable (claw depth usable O) [mm]	7 mm
Н	Total hook root depth (total claw depth H) [mm]	14 mm
L	Total claw thickness (L+1mm) (claw distance to base	3 mm
	surface) [mm]	
Z	Total length [mm]	277 mm



Abbreviation Attribut		Wert
А	Clamping depth outside pull-off [mm]	250 mm
K	Hook root thickness at the tip (claw thickness K) [mm]	3 mm
J	Hook base width (claw width J) [mm]	30 mm
0	Hook base depth usable (claw depth usable O) [mm]	7 mm
Н	Total hook root depth (total claw depth H) [mm]	14 mm
L	Total claw thickness (L+1mm) (claw distance to base surface) [mm]	3 mm
Z	Total length [mm]	277 mm



AbbreviationAttribut		Wert
Α	Clamping depth outside pull-off [mm]	250 mm
K	Hook root thickness at the tip (claw thickness K) [mm]	3 mm

J	Hook base width (claw width J) [mm]	30 mm
C	Hook base depth usable (claw depth usable O) [mm]	7 mm
F	Total hook root depth (total claw depth H) [mm]	14 mm
L	Total claw thickness (L+1mm) (claw distance to base surface) [mm]	3 mm
Z	Total length [mm]	277 mm