8-0-621 Hydraulic spindle, up to 10 t tension force (thread size G 1/2")





APPLICATION IMAGE



DETAIL IMAGE



The grease-hydraulic spindle of the series 8-0 is the motor of the Puller and achieves a tension force of 12 t. The hydraulic spindle is suitable for the Pulling of particularly tight bearings, gears, and discs that cannot be loosened with pure muscle power. Thanks to the integrated grease-hydraulics, no external pump is required.

RANGE OF APPLICATION

For pulling off particularly stubborn bearings, gears, and discs that cannot be removed with pure muscle power.

· A hydraulic spindle enables easy and controlled pulling of particularly stubborn parts with minimal effort

MASTER DATA

4021176774263 GTIN [EAN] Country of origin DF Case material Tool steel Series 8-0 1,57 kg Net weight [kg] Package contents 1 piece Packaging Act PAP 20

Yes (REACH, RoHS, POP, PROP65, Global sales capability given

SUITABLE FOR

- 12-4_3-jaw puller
- 12-5_3-jaw Puller
- 18-2_Puller
- 20-2_2-jaw universal puller
- 20-20_2-jaw universal puller
- 30-2_3-jaw universal puller
- · 30-20_3-jaw universal puller
- 41-5_2-jaw universal puller with swiveling puller legs
- · 42-5_3-jaw universal puller with swiveling puller legs
- 205-02_Heavy, 2-jaw tab puller with oscillating and heightadjustable puller legs
- 206-02_Heavy, 3-jaw tab puller with oscillating and heightadjustable puller legs
- 207-02_Heavy, 3-jaw tab puller with oscillating, height-adjustable puller legs and combination cross beam

SPARE PARTS

· 8-01ERS_Wear part set